

Voyage

From the Cadet Colours Collection

Product Details

Colourway, Composition & End Uses

Colourway	321 Wheat
Basecloth	Vinyl
Composition	Coating PVC,PU,Acrylic,Basecloth Viscose,Polyester
End Uses	<ul style="list-style-type: none">• Healthcare Upholstery• Upholstery

Dimensions & Weight

Width (cm):	137.00 (approx.)
Weight (g/m ²):	760.00 (± 5%)
Height Repeat (cm):	—
Side Repeat (cm):	—

Technology

Product Technology

Anti-microbial

Stain Resistant Finish

Waterproof

Flammability Ratings

BS5852: 2006 Ignition Source 5

EN1021-1/2

IMO - FTP 2010 PART 8 (previously A.652 (16))

NFPA 260 (USA)

Durability

Martindale 350,000, Wyzenbeek 100,000, Burst
Strength 1221kPa

Wash & Care

Wash & Care Instructions

Wipe clean routinely with a microfibre cloth, lightly dampened with cold water only. Then dry with a clean absorbent cloth.

Soak up spillages as soon as possible with an absorbent dry cloth to prevent staining. Clean with a microfibre cloth, lightly dampened with cold water.

Note dyes and pigments from indigo jeans, ball point and felt tip pens may permanently stain.

If soiling has accumulated use a mild soap (non-alkaline). Take care to remove all soap residues. Then dry with an absorbent cloth.

Remove body fluids and extreme soiling immediately (within 15 minutes) with cold water. Apply your approved infection control protocol, a 5% sodium chlorite bleach solution, Haz-Tabs or Chlor-Clean. Remove product residues and then dry with a clean absorbent cloth.

Note steam cleaning disinfects but the application of heat may fix staining substances and may result in permanent marks.

Do not apply solvent based cleaners or any other chemicals to the fabric.

Do not dry clean, tumble dry or fully immerse the fabric in water.

Voyage

From the Cadet Colours Collection

Product Details

Colourway, Composition & End Uses

Colourway	823 Chablis
Basecloth	Vinyl
Composition	Coating PVC,PU,Acrylic,Basecloth Viscose,Polyester
End Uses	<ul style="list-style-type: none">• Healthcare Upholstery• Upholstery

Dimensions & Weight

Width (cm):	137.00 (approx.)
Weight (g/m ²):	760.00 (± 5%)
Height Repeat (cm):	—
Side Repeat (cm):	—

Technology

Product Technology

Anti-microbial

Stain Resistant Finish

Waterproof

Flammability Ratings

BS5852: 2006 Ignition Source 5

EN1021-1/2

IMO - FTP 2010 PART 8 (previously A.652 (16))

NFPA 260 (USA)

Durability

Martindale 350,000, Wyzenbeek 100,000, Burst
Strength 1221kPa

Wash & Care

Wash & Care Instructions

Wipe clean routinely with a microfibre cloth, lightly dampened with cold water only. Then dry with a clean absorbent cloth.

Soak up spillages as soon as possible with an absorbent dry cloth to prevent staining. Clean with a microfibre cloth, lightly dampened with cold water.

Note dyes and pigments from indigo jeans, ball point and felt tip pens may permanently stain.


If soiling has accumulated use a mild soap (non-alkaline). Take care to remove all soap residues. Then dry with an absorbent cloth.

Remove body fluids and extreme soiling immediately (within 15 minutes) with cold water. Apply your approved infection control protocol, a 5% sodium chlorite bleach solution, Haz-Tabs or Chlor-Clean. Remove product residues and then dry with a clean absorbent cloth.

Note steam cleaning disinfects but the application of heat may fix staining substances and may result in permanent marks.

Do not apply solvent based cleaners or any other chemicals to the fabric.

Do not dry clean, tumble dry or fully immerse the fabric in water.



Voyage

From the Cadet Colours Collection

Product Details

Colourway, Composition & End Uses

Colourway	155 Duck Egg Blue
Basecloth	Vinyl
Composition	Coating PVC,PU,Acrylic,Basecloth Viscose,Polyester
End Uses	<ul style="list-style-type: none">• Healthcare Upholstery• Upholstery

Dimensions & Weight

Width (cm):	137.00 (approx.)
Weight (g/m ²):	760.00 (± 5%)
Height Repeat (cm):	—
Side Repeat (cm):	—

Technology

Product Technology

Anti-microbial

Stain Resistant Finish

Waterproof

Flammability Ratings

BS5852: 2006 Ignition Source 5

EN1021-1/2

IMO - FTP 2010 PART 8 (previously A.652 (16))

NFPA 260 (USA)

Durability

Martindale 350,000, Wyzenbeek 100,000, Burst
Strength 1221kPa

Wash & Care

Wash & Care Instructions

Wipe clean routinely with a microfibre cloth, lightly dampened with cold water only. Then dry with a clean absorbent cloth.

Soak up spillages as soon as possible with an absorbent dry cloth to prevent staining. Clean with a microfibre cloth, lightly dampened with cold water.

Note dyes and pigments from indigo jeans, ball point and felt tip pens may permanently stain.

If soiling has accumulated use a mild soap (non-alkaline). Take care to remove all soap residues. Then dry with an absorbent cloth.

Remove body fluids and extreme soiling immediately (within 15 minutes) with cold water. Apply your approved infection control protocol, a 5% sodium chlorite bleach solution, Haz-Tabs or Chlor-Clean. Remove product residues and then dry with a clean absorbent cloth.

Note steam cleaning disinfects but the application of heat may fix staining substances and may result in permanent marks.

Do not apply solvent based cleaners or any other chemicals to the fabric.

Do not dry clean, tumble dry or fully immerse the fabric in water.



Voyage

From the Cadet Colours Collection

Product Details

Colourway, Composition & End Uses

Colourway	105 Indigo
Basecloth	Vinyl
Composition	Coating PVC,PU,Acrylic,Basecloth Viscose,Polyester
End Uses	<ul style="list-style-type: none">• Healthcare Upholstery• Upholstery

Dimensions & Weight

Width (cm):	137.00 (approx.)
Weight (g/m ²):	760.00 (± 5%)
Height Repeat (cm):	—
Side Repeat (cm):	—

Technology

Product Technology

Anti-microbial

Stain Resistant Finish

Waterproof

Flammability Ratings

BS5852: 2006 Ignition Source 5

EN1021-1/2

IMO - FTP 2010 PART 8 (previously A.652 (16))

NFPA 260 (USA)

Durability

Martindale 350,000, Wyzenbeek 100,000, Burst
Strength 1221kPa

Wash & Care

Wash & Care Instructions

Wipe clean routinely with a microfibre cloth, lightly dampened with cold water only. Then dry with a clean absorbent cloth.

Soak up spillages as soon as possible with an absorbent dry cloth to prevent staining. Clean with a microfibre cloth, lightly dampened with cold water.

Note dyes and pigments from indigo jeans, ball point and felt tip pens may permanently stain.


If soiling has accumulated use a mild soap (non-alkaline). Take care to remove all soap residues. Then dry with an absorbent cloth.

Remove body fluids and extreme soiling immediately (within 15 minutes) with cold water. Apply your approved infection control protocol, a 5% sodium chlorite bleach solution, Haz-Tabs or Chlor-Clean. Remove product residues and then dry with a clean absorbent cloth.

Note steam cleaning disinfects but the application of heat may fix staining substances and may result in permanent marks.

Do not apply solvent based cleaners or any other chemicals to the fabric.

Do not dry clean, tumble dry or fully immerse the fabric in water.



Voyage

From the Cadet Colours Collection

Product Details

Colourway, Composition & End Uses

Colourway	198 Hyacinth
Basecloth	Vinyl
Composition	Coating PVC,PU,Acrylic,Basecloth Viscose,Polyester
End Uses	<ul style="list-style-type: none">• Healthcare Upholstery• Upholstery

Dimensions & Weight

Width (cm):	137.00 (approx.)
Weight (g/m ²):	760.00 (± 5%)
Height Repeat (cm):	—
Side Repeat (cm):	—

Technology

Product Technology

Anti-microbial

Stain Resistant Finish

Waterproof

Flammability Ratings

BS5852: 2006 Ignition Source 5

EN1021-1/2

IMO - FTP 2010 PART 8 (previously A.652 (16))

NFPA 260 (USA)

Durability

Martindale 350,000, Wyzenbeek 100,000, Burst
Strength 1221kPa

Wash & Care

Wash & Care Instructions

Wipe clean routinely with a microfibre cloth, lightly dampened with cold water only. Then dry with a clean absorbent cloth.

Soak up spillages as soon as possible with an absorbent dry cloth to prevent staining. Clean with a microfibre cloth, lightly dampened with cold water.

Note dyes and pigments from indigo jeans, ball point and felt tip pens may permanently stain.

If soiling has accumulated use a mild soap (non-alkaline). Take care to remove all soap residues. Then dry with an absorbent cloth.

Remove body fluids and extreme soiling immediately (within 15 minutes) with cold water. Apply your approved infection control protocol, a 5% sodium chlorite bleach solution, Haz-Tabs or Chlor-Clean. Remove product residues and then dry with a clean absorbent cloth.

Note steam cleaning disinfects but the application of heat may fix staining substances and may result in permanent marks.

Do not apply solvent based cleaners or any other chemicals to the fabric.

Do not dry clean, tumble dry or fully immerse the fabric in water.



Voyage

From the Cadet Colours Collection

Product Details

Colourway, Composition & End Uses

Colourway	807 Mushroom
Basecloth	Vinyl
Composition	Coating PVC,PU,Acrylic,Basecloth Viscose,Polyester
End Uses	<ul style="list-style-type: none">• Healthcare Upholstery• Upholstery

Dimensions & Weight

Width (cm):	137.00 (approx.)
Weight (g/m ²):	760.00 (± 5%)
Height Repeat (cm):	—
Side Repeat (cm):	—

Technology

Product Technology

Anti-microbial

Stain Resistant Finish

Waterproof

Flammability Ratings

BS5852: 2006 Ignition Source 5

EN1021-1/2

IMO - FTP 2010 PART 8 (previously A.652 (16))

NFPA 260 (USA)

Durability

Martindale 350,000, Wyzenbeek 100,000, Burst
Strength 1221kPa

Wash & Care

Wash & Care Instructions

Wipe clean routinely with a microfibre cloth, lightly dampened with cold water only. Then dry with a clean absorbent cloth.

Soak up spillages as soon as possible with an absorbent dry cloth to prevent staining. Clean with a microfibre cloth, lightly dampened with cold water.

Note dyes and pigments from indigo jeans, ball point and felt tip pens may permanently stain.


If soiling has accumulated use a mild soap (non-alkaline). Take care to remove all soap residues. Then dry with an absorbent cloth.

Remove body fluids and extreme soiling immediately (within 15 minutes) with cold water. Apply your approved infection control protocol, a 5% sodium chlorite bleach solution, Haz-Tabs or Chlor-Clean. Remove product residues and then dry with a clean absorbent cloth.

Note steam cleaning disinfects but the application of heat may fix staining substances and may result in permanent marks.

Do not apply solvent based cleaners or any other chemicals to the fabric.

Do not dry clean, tumble dry or fully immerse the fabric in water.



Voyage

From the Cadet Colours Collection

Product Details

Colourway, Composition & End Uses

Colourway	609 Rose
Basecloth	Vinyl
Composition	Coating PVC,PU,Acrylic,Basecloth Viscose,Polyester
End Uses	<ul style="list-style-type: none">• Healthcare Upholstery• Upholstery

Dimensions & Weight

Width (cm):	137.00 (approx.)
Weight (g/m ²):	760.00 (± 5%)
Height Repeat (cm):	—
Side Repeat (cm):	—

Technology

Product Technology

Anti-microbial

Stain Resistant Finish

Waterproof

Flammability Ratings

BS5852: 2006 Ignition Source 5

EN1021-1/2

IMO - FTP 2010 PART 8 (previously A.652 (16))

NFPA 260 (USA)

Durability

Martindale 350,000, Wyzenbeek 100,000, Burst
Strength 1221kPa

Wash & Care

Wash & Care Instructions

Wipe clean routinely with a microfibre cloth, lightly dampened with cold water only. Then dry with a clean absorbent cloth.

Soak up spillages as soon as possible with an absorbent dry cloth to prevent staining. Clean with a microfibre cloth, lightly dampened with cold water.

Note dyes and pigments from indigo jeans, ball point and felt tip pens may permanently stain.

If soiling has accumulated use a mild soap (non-alkaline). Take care to remove all soap residues. Then dry with an absorbent cloth.

Remove body fluids and extreme soiling immediately (within 15 minutes) with cold water. Apply your approved infection control protocol, a 5% sodium chlorite bleach solution, Haz-Tabs or Chlor-Clean. Remove product residues and then dry with a clean absorbent cloth.

Note steam cleaning disinfects but the application of heat may fix staining substances and may result in permanent marks.

Do not apply solvent based cleaners or any other chemicals to the fabric.

Do not dry clean, tumble dry or fully immerse the fabric in water.



Voyage

From the Cadet Colours Collection

Product Details

Colourway, Composition & End Uses

Colourway	703 Mink
Basecloth	Vinyl
Composition	Coating PVC,PU,Acrylic,Basecloth Viscose,Polyester
End Uses	<ul style="list-style-type: none">• Healthcare Upholstery• Upholstery

Dimensions & Weight

Width (cm):	137.00 (approx.)
Weight (g/m ²):	760.00 (± 5%)
Height Repeat (cm):	—
Side Repeat (cm):	—

Technology

Product Technology

Anti-microbial

Stain Resistant Finish

Waterproof

Flammability Ratings

BS5852: 2006 Ignition Source 5

EN1021-1/2

IMO - FTP 2010 PART 8 (previously A.652 (16))

NFPA 260 (USA)

Durability

Martindale 350,000, Wyzenbeek 100,000, Burst
Strength 1221kPa

Wash & Care

Wash & Care Instructions

Wipe clean routinely with a microfibre cloth, lightly dampened with cold water only. Then dry with a clean absorbent cloth.

Soak up spillages as soon as possible with an absorbent dry cloth to prevent staining. Clean with a microfibre cloth, lightly dampened with cold water.

Note dyes and pigments from indigo jeans, ball point and felt tip pens may permanently stain.

If soiling has accumulated use a mild soap (non-alkaline). Take care to remove all soap residues. Then dry with an absorbent cloth.

Remove body fluids and extreme soiling immediately (within 15 minutes) with cold water. Apply your approved infection control protocol, a 5% sodium chlorite bleach solution, Haz-Tabs or Chlor-Clean. Remove product residues and then dry with a clean absorbent cloth.

Note steam cleaning disinfects but the application of heat may fix staining substances and may result in permanent marks.

Do not apply solvent based cleaners or any other chemicals to the fabric.

Do not dry clean, tumble dry or fully immerse the fabric in water.



Voyage

From the Cadet Colours Collection

Product Details

Colourway, Composition & End Uses

Colourway	624 Mulberry
Basecloth	Vinyl
Composition	Coating PVC,PU,Acrylic,Basecloth Viscose,Polyester
End Uses	<ul style="list-style-type: none">• Healthcare Upholstery• Upholstery

Dimensions & Weight

Width (cm):	137.00 (approx.)
Weight (g/m ²):	760.00 (± 5%)
Height Repeat (cm):	—
Side Repeat (cm):	—

Technology

Product Technology

Anti-microbial

Stain Resistant Finish

Waterproof

Flammability Ratings

BS5852: 2006 Ignition Source 5

EN1021-1/2

IMO - FTP 2010 PART 8 (previously A.652 (16))

NFPA 260 (USA)

Durability

Martindale 350,000, Wyzenbeek 100,000, Burst
Strength 1221kPa

Wash & Care

Wash & Care Instructions

Wipe clean routinely with a microfibre cloth, lightly dampened with cold water only. Then dry with a clean absorbent cloth.

Soak up spillages as soon as possible with an absorbent dry cloth to prevent staining. Clean with a microfibre cloth, lightly dampened with cold water.

Note dyes and pigments from indigo jeans, ball point and felt tip pens may permanently stain.

If soiling has accumulated use a mild soap (non-alkaline). Take care to remove all soap residues. Then dry with an absorbent cloth.

Remove body fluids and extreme soiling immediately (within 15 minutes) with cold water. Apply your approved infection control protocol, a 5% sodium chlorite bleach solution, Haz-Tabs or Chlor-Clean. Remove product residues and then dry with a clean absorbent cloth.

Note steam cleaning disinfects but the application of heat may fix staining substances and may result in permanent marks.

Do not apply solvent based cleaners or any other chemicals to the fabric.

Do not dry clean, tumble dry or fully immerse the fabric in water.
